



Report Number: 23-014899/D007.R000

Report Date: 12/29/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 12/21/23 10:05


Customer: Entourage Organics Inc
Product identity: Coast D8 10ct- Cherry

Project Number: EOVP-1223D8

Client/Metrc ID:

Laboratory ID: 23-014899-0011

Summary







Report Number: 23-014899/D007.R000

Report Date: 12/29/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 12/21/23 10:05

Customer: Entourage Organics Inc

United States of America (USA)

Product identity: Coast D8 10ct- Cherry

Project Number: EOVP-1223D8

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-014899-0011

Evidence of Cooling: No
Temp: 15.3
Relinquished by: client

Sample Results

Potency	Method: J AOAC 201	15 V98-6 (mod)	b Units %	Batch: 2313884	Analyze: 12/28/23	10:54:00 A
Analyte	As Dry Received weig	LOQ ht	Notes			
CBD	0.182	0.0300				Δ8-THC
CBD-A	2.98	0.0300				CBD-A
CBD-Total	2.80	0.0563				CBG-A
CBG	0.557	0.0300				CBG
CBG-A	2.39	0.0300				CBD
CBG-Total	2.66	0.0560				THC-A
CBN	0.0497	0.0300				CBN
$\Delta 10$ -THC-9R	< LOQ	0.0300				
$\Delta 10$ -THC-9S	< LOQ	0.0300				
$\Delta 10$ -THC-Total	< LOQ	0.0600				
$\Delta 8$ -THC	4.45	0.0300				
Δ9-THC	< LOQ	0.0300				
THC-A	0.115	0.0300				
THC-Total	0.101	0.0563				
Total Cannabinoids	10.7					





Report Number: 23-014899/D007.R000

Report Date: 12/29/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 12/21/23 10:05

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Acceptable

Acceptable

Report Number: 23-014899/D007.R000

Report Date: 12/29/2023 ORELAP#: OR100028

Purchase Order:

Received: 12/21/23 10:05

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results Batch ID: 231388 LCS Result **Spike** 0.0299 0.0292 Units Evaluation Analyte CBDVA % % Acceptable Acceptable 80.0 120 120 120 102 103 0.0306 CBDV 0.0300 80.0 80.0 CBE 0.0318 Acceptable 90.0 80.0 0.0295 CRGA 0.0291 0.0287 % Accentable. 120 101 CBG 0.0281 % Acceptable 0.0287 0.0307 80.0 CBD 0.0300 Acceptable Acceptable 0.0326 102 80.0 Acceptable Acceptable d8THCV 0.0280 THCVA 0.0291 0.0295 101 80.0 CBN exo-THC % % 80.0 120 120 Acceptable Acceptable 0.0315 0.0300 105 0.0285 0.0300 105 d9THC 0.0329 107 104 90.0 110 110 0.0306 Acceptable 0.0306 0.0296 Acceptable 9S-d10TH0 0.0309 104 103 80.0 80.0 120 120 0.0297 % Acceptable Acceptable 0.0273 80.0 9R-d10TH 0.0289 % 80.0 Acceptable CBC 9R-HHC 0.0298 120 120 110 Acceptable Acceptable 0.0303 % 102 80.0 80.0 90.0 THCA 0.0293 Acceptable 0.0298 % % Acceptable Acceptable CBCA 0.0308 0.0304 101 80.0 CBLA 0.0312 80.0 120

102

CBT	2	0.0311	0.0310	%	100	80.0	- 120	Acceptable	
d9THCO	3	0.0315	0.0299	%	105	80.0	- 120	Acceptable	
Method Blank									
Analyte	Re	sult	LOQ		Units	1	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.00300</td><td colspan="2">%</td><td colspan="2">< 0.00300</td><td>Acceptable</td><td></td></loq<>		0.00300	%		< 0.00300		Acceptable	
CBDV	<l< td=""><td>0Q</td><td>0.00300</td><td></td><td>%</td><td>< 1</td><td>0.00300</td><td>Acceptable</td><td></td></l<>	0Q	0.00300		%	< 1	0.00300	Acceptable	
CBE	<l< td=""><td>.0Q</td><td>0.00300</td><td></td><td>%</td><td>< 1</td><td>0.00300</td><td>Acceptable</td><td></td></l<>	.0Q	0.00300		%	< 1	0.00300	Acceptable	
CBDA		.OQ	0.00300		%		0.00300	Acceptable	
CBGA		0Q	0.00300		%		0.00300	Acceptable	
CBG	<l< td=""><td>0Q</td><td>0.00300</td><td></td><td>%</td><td>< 1</td><td>0.00300</td><td>Acceptable</td><td></td></l<>	0Q	0.00300		%	< 1	0.00300	Acceptable	
CBD		.OQ	0.00300		%		0.00300	Acceptable	
THCV		.OQ	0.00300		%		0.00300	Acceptable	
d8THCV	<loq< td=""><td>0.00300</td><td colspan="2">%</td><td colspan="2">< 0.00300</td><td>Acceptable</td><td></td></loq<>		0.00300	%		< 0.00300		Acceptable	
THCVA	<loq< td=""><td>0.00300</td><td colspan="2">%</td><td>< 1</td><td>0.00300</td><td>Acceptable</td><td></td></loq<>		0.00300	%		< 1	0.00300	Acceptable	
CBN	<loq< td=""><td>0.00300</td><td colspan="2">%</td><td></td><td>0.00300</td><td>Acceptable</td><td></td></loq<>		0.00300	%			0.00300	Acceptable	
exo-THC	<loq< td=""><td>0.00300</td><td colspan="2">%</td><td></td><td>0.00300</td><td>Acceptable</td><td></td></loq<>		0.00300	%			0.00300	Acceptable	
d9THC		<loq< td=""><td colspan="2">%</td><td></td><td>0.00300</td><td>Acceptable</td><td></td></loq<>		%			0.00300	Acceptable	
d8THC		.OQ	0.00300	%			0.00300	Acceptable	
9S-d10THC		.OQ	0.00300		%		0.00300	Acceptable	
CBL		0Q	0.00300		%		0.00300	Acceptable	
9S-HHC		0Q	0.00300		%		0.00300	Acceptable	
9R-d10THC		.OQ	0.00300		%		0.00300	Acceptable	
CBC		0Q	0.00300		%		0.00300	Acceptable	
9R-HHC		0Q	0.00300	%		< 0.00300		Acceptable	
THCA	<loq< td=""><td>0.00300</td><td colspan="2">%</td><td colspan="2">< 0.00300</td><td>Acceptable</td><td></td></loq<>		0.00300	%		< 0.00300		Acceptable	
CBCA		<loq< td=""><td colspan="2">%</td><td colspan="2">< 0.00300</td><td>Acceptable</td><td></td></loq<>		%		< 0.00300		Acceptable	
CBLA		.OQ	0.00300		%		0.00300	Acceptable	
d9THCP		OQ.	0.00300		%		0.00300	Acceptable	
d8THCO		.0Q	0.00300		%		0.00300	Acceptable	·
CBT		.OQ	0.00300		%		0.00300	Acceptable	
d9THCO	<l< td=""><td>.OQ</td><td>0.00300</td><td colspan="2">0 %</td><td>< 1</td><td>0.00300</td><td>Acceptable</td><td></td></l<>	.OQ	0.00300	0 %		< 1	0.00300	Acceptable	

d9THCO

d8THCO

ND - None Detected at or above MRI. RPD - Relative Percent Difference LOQ - Limit of Quantitation

0.0317

0.0303

0.0298

0.0304

Units of Measure:

% - Percent





23-014899/D007.R000 **Report Number:**

Report Date: 12/29/2023 ORELAP#: OR100028

Purchase Order:

Received: 12/21/23 10:05

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	6 Batch ID: 2313884							
Sample Duplicate			Sample ID: 23-014642-0001-01					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	0.0493	0.0500	0.0295	%	1.29	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBDA	14.4	14.9	0.0295	%	3.45	< 20	Acceptable	
CBGA	1.03	1.04	0.0295	%	1.19	< 20	Acceptable	
CBG	0.142	0.142	0.0295	%	0.384	< 20	Acceptable	
CBD	0.576	0.581	0.0295	%	0.839	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBN	0.0478	0.0480	0.0295	%	0.434	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d8THC	14.3	14.7	0.0295	%	3.00	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
9S-HHC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBC	0.0786	0.0786	0.0295	%	0.00696	< 20	Acceptable	
9R-HHC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
THCA	0.582	0.589	0.0295	%	1.26	< 20	Acceptable	
CBCA	0.762	0.799	0.0295	%	4.72	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d9THCP	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d8THCO	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d9THCO	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 23-014899/D007.R000

Report Date: 12/29/2023 ORELAP#: OR100028

Purchase Order:

Received: 12/21/23 10:05







23-014899/D007.R000 **Report Number:**

Report Date: 12/29/2023 ORELAP#: OR100028

Purchase Order:

12/21/23 10:05 Received:

Explanation of QC Flag Comments:

Code	Explanation					
Q	Matrix interferences affecting spike or surrogate recoveries.					
Q1	Quality control result biased high. Only non-detect samples reported.					
Q2	Quality control outside QC limits. Data considered estimate.					
Q3	Sample concentration greater than four times the amount spiked.					
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.					
Q5	Spike results above calibration curve.					
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.					
R	Relative percent difference (RPD) outside control limit.					
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.					
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.					
LOQ1	Quantitation level raised due to low sample volume and/or dilution.					
LOQ2	Quantitaion level raised due to matrix interference.					
В	Analyte detected in method blank, but not in associated samples.					
B1	The sample concentration is greater than 5 times the blank concentration.					
B2	The sample concentration is less than 5 times the blank concentration.					