



**Report Number:** 23-014899/D002.R000

**Report Date:** 12/29/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 12/21/23 10:05


Customer: Entourage Organics Inc
Product identity: Coast D8 10ct- Pineapple

Project Number: EOVP-1223D8

Client/Metrc ID:

**Laboratory ID:** 23-014899-0014

# Summary







**Report Number:** 23-014899/D002.R000

**Report Date:** 12/29/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 12/21/23 10:05

Customer: Entourage Organics Inc

United States of America (USA)

**Product identity:** Coast D8 10ct- Pineapple

Project Number: EOVP-1223D8

Client/Metrc ID:

Sample Date:

**Laboratory ID:** 23-014899-0014

Evidence of Cooling: No
Temp: 15.3
Relinquished by: client

## **Sample Results**

Potency	Method: J AOAG	C 2015 V	98-6 (mod	)♭ Units %	Batch: 2313884	<b>Analyze:</b> 12/28/23	11:18:00 A
Analyte		Dry weight	LOQ	Notes			
CBD	0.173		0.0296				<ul><li>Δ8-THC</li></ul>
CBD-A	2.97		0.0296				CBD-A
CBD-Total	2.78		0.0555				CBG-A
CBG	0.545		0.0296				CBG
CBG-A	2.34		0.0296				<ul><li>CBD</li></ul>
CBG-Total	2.60		0.0552				THC-A
CBN	0.0492		0.0296				CBN
$\Delta 10$ -THC-9R	< LOQ		0.0296				
$\Delta 10$ -THC-9S	< LOQ		0.0296				
$\Delta 10$ -THC-Total	< LOQ		0.0591				
Δ8-THC	4.42		0.0296				
Δ9-THC	< LOQ		0.0296				
THC-A	0.115		0.0296				
THC-Total	0.101		0.0555				
Total Cannabinoids	10.6						





**Report Number:** 23-014899/D002.R000

**Report Date:** 12/29/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 12/21/23 10:05

### **Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

% = Percentage of sample % wt =  $\mu$ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Acceptable Acceptable

Report Number: 23-014899/D002.R000

Report Date: 12/29/2023 ORELAP#: OR100028

Purchase Order:

Received: 12/21/23 10:05

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results** Batch ID: 2313884 LCS Result **Spike** 0.0299 0.0292 Units Evaluation Analyte CBDVA % % Acceptable Acceptable 102 103 102 80.0 120 120 120 0.0306 CBDV 0.0300 80.0 80.0 CBE 0.0318 Acceptable 90.0 80.0 0.0295 CRGA 0.0291 0.0287 % Accentable. 120 101 CBG 0.0281 % Acceptable 0.0287 0.0307 80.0 CBD 0.0300 Acceptable Acceptable 0.0326 102 80.0 Acceptable Acceptable d8THCV 0.0280 THCVA 0.0291 0.0295 101 80.0 CBN exo-THC % % 80.0 120 120 Acceptable Acceptable 0.0315 0.0300 105 0.0285 0.0300 105 d9THC 0.0329 107 104 90.0 110 110 0.0306 Acceptable 0.0306 0.0296 Acceptable 9S-d10TH0 0.0309 104 103 80.0 80.0 120 120 0.0297 % Acceptable Acceptable 0.0273 80.0 9R-d10TH 0.0289 % 80.0 Acceptable CBC 9R-HHC 0.0298 Acceptable Acceptable 120 120 110 0.0303 % 102 80.0 80.0 90.0 THCA 0.0293 Acceptable 0.0298 Acceptable Acceptable CBCA 0.0308 0.0304 101 80.0 CBLA 0.0312 80.0 120 0.0317 102 0.0303 0.0317 0.0311 0.0298 102 80.0 Acceptable

80.0

104 100

0.0304 0.0310

Method Blank	-					
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBDV	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBE	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBDA	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBGA	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBG	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBD	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
THCV	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
d8THCV	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
THCVA	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBN	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
exo-THC	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
d9THC	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
d8THC	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
9S-d10THC	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBL	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
9S-HHC	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
9R-d10THC	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBC	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
9R-HHC	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
THCA	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBCA	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBLA	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
d9THCP	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
d8THCO	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
CBT	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	
d9THCO	<loq< td=""><td>0.00300</td><td>%</td><td>&lt; 0.00300</td><td>Acceptable</td><td></td></loq<>	0.00300	%	< 0.00300	Acceptable	

d8THCO

ND - None Detected at or above MRI. RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





23-014899/D002.R000 **Report Number:** 

**Report Date:** 12/29/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 12/21/23 10:05

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results**

J AOAC 2015 V98-6	Batch ID: 2313884							
Sample Duplicate			Sample ID: 23-014642-0001-01					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	0.0493	0.0500	0.0295	%	1.29	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBDA	14.4	14.9	0.0295	%	3.45	< 20	Acceptable	
CBGA	1.03	1.04	0.0295	%	1.19	< 20	Acceptable	
CBG	0.142	0.142	0.0295	%	0.384	< 20	Acceptable	
CBD	0.576	0.581	0.0295	%	0.839	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBN	0.0478	0.0480	0.0295	%	0.434	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d8THC	14.3	14.7	0.0295	%	3.00	< 20	Acceptable	
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
9S-HHC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBC	0.0786	0.0786	0.0295	%	0.00696	< 20	Acceptable	
9R-HHC	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
THCA	0.582	0.589	0.0295	%	1.26	< 20	Acceptable	
CBCA	0.762	0.799	0.0295	%	4.72	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d9THCP	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d8THCO	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	
d9THCO	<loq< td=""><td><loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0295</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.0295	%	NA	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





**Report Number:** 23-014899/D002.R000

**Report Date:** 12/29/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 12/21/23 10:05







23-014899/D002.R000 **Report Number:** 

**Report Date:** 12/29/2023 ORELAP#: OR100028

**Purchase Order:** 

12/21/23 10:05 Received:

## Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.